



GENERAL INFORMATION

Table E - ASTM C-585
Stainless Steel Tubing
Outer Diameters

ASTM C-585 Outer Diameter of Insulation for Stainless Steel Tubing Sizes

Nominal Iron Pipe	Pipe O.D.	Insulation Thickness.						
		1"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"
1/2"	0.500	2.88	3.50	4.50	5.50	6.63	7.63	8.63
3/4"	0.750	2.88	4.00	5.00	6.63	7.63	8.63	9.63
1"	1.000	2.88	4.00	5.00	6.63	7.63	8.63	9.63
1-1/2"	1.500	3.50	4.50	5.50	6.63	7.63	8.63	9.63
2"	2.000	4.00	5.00	6.63	7.63	8.63	9.63	10.75
2-1/2"	2.500	4.50	5.50	6.63	7.63	8.63	9.63	10.75
3"	3.000	5.00	6.63	7.63	8.63	9.63	10.75	11.75
4"	4.000	6.63	7.63	8.63	9.63	10.75	11.75	12.75
6"	6.000	8.63	9.63	10.75	11.75	12.75	14.00	14.00

Notes:

1. All Cook Brothers Insulation complies with ASTM C-585 Dimensional Standards.
2. Stainless Steel Pipe is the same O.D. as Iron Pipe. 1-1/2" nominal size has a 1.90 O.D.
3. Stainless Steel Tubing is the same size of it's nominal size. 1-1/2" nominal size has a 1.50 O.D.